

Pinckney Pro-Life™



Question: If abortion is made illegal won't women do it anyway? Won't dangerous back-alley abortions return if abortions are forbidden?

Quick Response: First, every form of lawless behavior imaginable could be rationalized with this same, "people are going to do it anyway" nonsense. "People are going to drink and drive whether it's lawful or not so let's make it legal." The list could go on and on. Second, Pro abortionists claim that in 1972, the year *before* the Supreme Court legalized abortion, there were 1,000,000 illegal abortions and 5,000 to 10,000 women died-the actual number was only 39 woman.

How many illegal abortions were there before it became legal?

No one knows. Why? For the obvious reason-illegal abortions are not reported. No one reports the illegal actions that they have done. In this case neither the abortionists nor the women report the deed. Because of this, there are no records. There are no statistics, no numbers anywhere to report. No one knows! Therefore, if anyone tells you that there were X numbers of illegal abortions somewhere in a certain time, they are guessing. The pro-abortion leader may guess 1,000,000. Your pro-life spokesman may guess 100,000, but both are guessing.

No clues?

There is only one reported figure that can lead us to some degree of accurate estimate of the numbers of illegal abortions and that is the number of women who died from illegal abortions.


Many nations report only one figure for women who die. They clump together women's deaths from spontaneous abortion (miscarriage), legally induced abortion and illegally induced abortion. Such statistics are no help. The United States, since the 1940s, has reported such deaths separately, so we know the number of deaths from illegal abortions. Good! Now if we knew how many illegal abortions it took to cause one death, we could easily calculate the total number of illegal abortions. The problem is, no one has the slightest idea how many it took, and so we're back to where we started from.

How many women died?

Let's look. The following chart was used on the floor of the US Senate during the tumultuous debate on abortion in 1981. It was compiled from official U.S. statistics and was not challenged by the pro-abortion forces.

Why the early sharp drop?

Largely because Penicillin became available. Note that after Penicillin became available to control infections, the number of deaths stabilized during the 1950s at about 250/year. e.g. 1956 = 250 Note that by 1966, with abortion still illegal in all states, the number of deaths had dropped steadily to half that number. 1966 = 120



Pinckney Pro-Life™



Why the drop after 1960?



The reasons were new and better antibiotics, better surgery and the establishment of intensive care units in hospitals. This was in the face of a rising population. Between 1967 and 1970 sixteen states legalized abortion. In most it was limited, only for rape, incest and severe fetal handicap (life of mother was legal in all states). There were two big exceptions — California in 1967, and New York in 1970 allowed abortion on demand. Now look at the chart carefully.


This legalization reduced the deaths?

In these two large states, legalization should have substituted "safe" for unsafe abortions. It should have saved many women's lives. Actually there was no sharp drop in the number of women dying. Let's look further. By the year before the U.S. Supreme Court decision which allowed legal abortion on demand in all fifty states, the death rate for illegal abortions had fallen to: 1972 = 39 (With 25 additional deaths that year due to legal abortions.) Now abortion was legal in 50 states. Now back alley abortions should have been eliminated with their alleged toll of maternal deaths.

In 1973 there should have been a really sharp drop in women dying. The chart, however, shows that there was no such drop. The line didn't even blip. The previous rate of decline actually slowed, to flatten out in the late 70s and 80s. According to the U.S. vital statistics, as anyone can see, legalization of abortion did not save almost any women's lives.

But we've been told the opposite.

Correct, but let's recap: Pro abortionists claim that in 1972, the year before the Supreme Court legalized abortion, there were 1,000,000 illegal abortions and 5,000 to 10,000 women died.



Pinckney Pro-Life™

Actually only 39 women died — less than one per state per year.

But they can't have it both ways.

- Either there were not many illegal abortions or Illegal abortions were all extremely safe.

Since we assume that all illegal abortions were not extremely safe, it seems obvious that THERE WERE NOT MANY ILLEGAL ABORTIONS One other comparison is relevant here. The pro-abortion claim was 1,000,000 illegal abortions in 1972. But with abortions legal without restriction in all states, the total reported for all of 1973 was about 750,000. This climbed to 1,500,000 by 1979 and plateaued there.

But why then have I heard time and again that between 5,000 and 10,000 women died annually from illegal abortions?

Those were the figures publicized. Another comment about them is the statement from Dr. Bernard Nathanson, a co-founder of the National Association for the Repeal of Abortion Laws (NARAL) — a man who once ran the largest abortion facility in the Western world and is now pro-life. He stated: "How many deaths were we talking about when abortion was illegal? In NARAL, we generally emphasized the frame of the individual case, not the mass statistics, but when we spoke of the latter it was always '5,000 to 10,000 deaths a year.' I confess that I knew the figures were *totally false*, [italics added] and I suppose the others did too if they stopped to think of it. But in the 'morality' of our revolution, it was a *useful* [Nathanson's italics] figure, widely accepted, so why go out of our way to correct it with honest statistics? The overriding concern was to get the laws eliminated, and anything within reason that had to be done was permissible." B. Nathanson, *Aborting America*, Doubleday, 1979, p. 193

Then, actually how many illegal abortions were there?


One study quoted in the U.S. Senate debate was authored by Dr. T. Hilgers from Creighton University, who estimated the figure probably was at or somewhere near 100,000 abortions annually in the U.S. prior to legalization.

But were illegal abortion deaths reported accurately? Before legalization?

Almost certainly they were! Back then it was a felony to do an abortion. When a woman was seriously injured by an abortion, she went to another doctor for care. The abortionist was nowhere to be seen. The new doctor tried to save her life, but she died anyway. Was this new, ethical physician going to deliberately falsify the death certificate (which was felony itself), to protect the abortionist? Not likely! Therefore, prior to legalization, deaths from illegal abortion were seldom covered up.

Are deaths from legal abortions reported accurately? Since legalization?

No, they frequently are not. As an example, let us use the State of Maryland in the year of 1991. There were four women who died in Maryland from induced abortions that year. None of the four were reported to the Federal Center for Disease Control. It receives its information from examination of death certificates. But, just for instance, one of the Maryland deaths above was listed as — "Cause of death = therapeutic misadventure." There is substantial evidence to suggest that the CDC does not report all the abortion-related deaths reported to it (see Chapter 21). But, even if it did operate honestly, the CDC only has the information to work with that is given to it. There are many deaths that are never reported to it.



Pinckney Pro-Life™



Why is this?

One reason is that, prior to legalization, a second doctor almost always was the one who tried to save her life. In today's age, however, it can be the same doctor. Since this abortionist does not want to have a reputation for having mothers die from his work, he or she has strong motivation to list some other cause of death. Since abortion is no longer a crime, this can be done with relative impunity. Another reason has to do with a substantial bias in reporting by the staff at the Center for Disease Control. As exhaustively documented by Mark Crutcher's book, *Lime 5*, the CDC seems to have had an ongoing unspoken policy of under-reporting and minimizing induced abortion mortality and morbidity and maximizing that of full term pregnancy M. Crutcher, *Lime 5*, Pub. by Life Dynamics, Inc., Denton, TX

It is the opinion of all pro-life leaders in the United States that an accurate estimate of women dying from induced abortions is many times the number that is actually reported.

Then there is a difference between illegal abortions and back alley abortions?

Yes! Doctors who did illegal abortions would let a woman in the back door, take her money, and do the abortion. Today, the same abortionist lets her in the front door, takes her money, and does the abortion in the same way. Abortions from untrained "butchers" are increasingly rare and would be in the future.

But isn't abortion safer than childbirth?

Pro-abortion people commonly say that it is. "Maternal mortality" is listed as deaths of women per 100,000 pregnancies. This figure has been commonly listed as eleven, compared to deaths from induced abortion, which are listed as one or two. Therefore, they say abortion is seven times safer. Not so! Maternal mortality, in recent years, has dropped to seven, not eleven.


But more important is the fact that, included in maternal mortality, are all deaths from induced abortions and ectopic pregnancies. Included also in maternal mortality are all women who die while pregnant from almost any cause that is in any way related to pregnancy. Different states require longer or shorter lengths of post-partum time, but, typically, maternal mortality also includes any related death within one year after delivery.

Maternal mortality also includes deaths from caesarean section. To compare comparable risks, one would have to compare the risk of being pregnant in the first three months with the risk of having an abortion within the first three months. When compared in this fashion, abortion is many times more dangerous. Actually, it is probable that induced abortion is more dangerous than carrying a baby to term. Maternal Mortality Surveillance '79-'86, Center for Disease Control, M&M Weekly report July '91, Vol. 40, No. SS-1

How about further proof?

Let's look at the late 1950s. Those were the supposed bad old days. All abortions were illegal, and illegal abortionists were alleged to be busy. In the July 1960 edition of *The American Journal of Public Health*, there was an article by Dr. Mary Calderone, founder of SIECUS and medical director of the Planned Parenthood Federation of America. She stated:

"90% of illegal abortions are being done by physicians. Call them what you will, abortionists or anything else, they are still physicians, trained as such; . . . They must do a pretty good job if the death rate is as



Pinckney Pro-Life™

low as it is . . . Abortion, whether therapeutic or illegal, is in the main no longer dangerous, because it is being done well by physicians."

But what about coat hanger abortions?

Your authors have lectured nationwide on abortion on an average of one city a week for almost three decades. We frequently ask the audience to provide documented proof of a self-induced coat hanger abortion. In all this time no one has given us a single case. It may well be — *there never were any coat hanger abortions.*

I've heard of large numbers of women dying from illegal abortions in other countries.

On June 18, 1989, CNN World Report, in an hour-long documentary, stated that in Brazil there are 6 million illegal abortions each year and 400,000 women die. But the U.N. Demographic Yearbook of 1988 lists only 40,000 women, age 15-44, dying each year of *all* causes. *Pop. Research Inst. Review*, Jan. 1991, p. 12

In Portugal the claimed figure was 2,000 deaths. The actual number of deaths of females between the ages of 15-46 was 2,106 in the same year from all natural causes, accidents and illness. There were only 97 listed in the "complications of pregnancy" of which 12 were due to abortion, including spontaneous and induced, legal and illegal. *Portuguese Anuario Estatistico*, Tables 11, 16, 111 221

In Italy, the claimed figure before their abortion referendum was 20,000. In the age group 15-45, there were actually only 11,500 female deaths from all causes. *Primum Non Nocere*, vol. IV, no. 1, 1983

In Germany the claim was that 15,000 women died annually. In fact, only 13,000 women of reproductive age died annually in West Germany, and less than 100 died of complications of abortion, legal and illegal. Kurchoff, *Deutsches Arzteblatt*, vol. 69, no. 27, Oct. 26, 1972


At the United Nations Habitat meeting in Istanbul, Turkey, in June 1996, the following "fact" was given wide publicity: The UNICEF suddenly claimed that 585,000 women die each year from causes related to pregnancy and birth.

The pro-life NGO's for the family immediately answered, "This is wild. According to the U.N. Demographic Year Book for 1990, the total known maternal deaths worldwide for 1986 and 1987 numbered 11,924 (around 6,000 per year). This figure encompasses countries covering 35% of the world's population." U.N. Conference, Istanbul, June 1996

I'd still worry that if you forbid abortion, it will just go back to back-alley butchery and lots of mothers dying.

We've had an example of an entire nation in recent years. It was Poland. Under Communist rule in the '80s, there were consistently over 100,000 abortions registered each year as compared to about 600,000 births. With the establishment of some self-government in 1990, with both the Church and doctors discouraging abortion, the numbers fell to 59,400.

Let's list the 1990 figures and then look ahead to 1994, the second year after abortion was forbidden except for danger to the life or health of the mother, rape and fetal handicap.



Pinckney Pro-Life™



	1990	1994
Total abortions	59,417	782
Women's deaths connected with pregnancy	90	57
Miscarriages	59,454	49,970
Cases of infanticide	31	17
Births	546,000	482,000

During this time the number of registered abortions declined to 176th of what it had been, and there was not a single death due to illegal abortion. All of these figures are exactly opposite of what International Planned Parenthood people in Poland predicted when the restrictive law was passed.